

Operational profile for Ancillary Systems settling on the TARGET2 SSP



This questionnaire shall be completed by each Ancillary System (AS) or by the respective central bank on its behalf.

It is applicable to ancillary systems that are settling on the TARGET2 Single Shared Platform (SSP) and offers a standardised summary of the ASs operations.

AS name	Eurex Clearing AG, Frankfurt am Main, BIC: EUXCDEFFASI
Relevant Central Bank	<u>Deutsche Bundesbank</u>

1. Type of Ancillary System

1.1 Type of AS

- Retail Payment System
- Large-Value Payment System
- Foreign Exchange System
- Money Market System
- Clearing House
- CCP
- Securities Settlement System (SSS)
- Other (Description: [Click here to enter text.](#))

**Operational profile for
Ancillary Systems settling on the SSP**



2. Settlements

Operational profile for Ancillary Systems settling on the SSP



2.1 Is the system using the ASI? Yes No

2.2 If yes, which settlement procedure(s) are used?

Procedure 1 (Liquidity transfer, real-time mode)

Business case: [Click here to enter text.](#)

Settlement window: from HH:MM to HH:MM
from HH:MM to HH:MM

Options: Scheduled time (from) Settlement period (until)

Procedure 2 (Real-time settlement, real-time mode)

Business case: The Eurex Clearing AG is the central counterpart for various Eurex business and organizes clearing & settlement of resulting payments for its participants. Collection of margin calls as well as distribution of liquidity transfers is processed using Eurex AS technical account EUXCDEFFASI and respective RTGS accounts of its participants.

Settlement window: from 07:00 to 18:00
from HH:MM to HH:MM

Options: Scheduled time (from) Settlement period (11 hrs)

Procedure 3 (Bilateral settlement, batch mode)

Business case: The Eurex Clearing AG is also the central counterpart for Securities Lending business and organizes clearing & settlement of resulting payments for its participants. Collection of margin calls as well as distribution of liquidity transfers is processed using Eurex AS technical account EUXCDEFFAS2 and respective RTGS accounts of its participants

Options: Information period (duration in min from time HH:MM)
 Settlement period (until) from 07:00 to 18:00 duration 11 hrs
in min until HH:MM

Procedure 4 (Standard multilateral settlement, batch mode)

Business case: [DVP batch settlement](#)

Options: Information period (duration in min from time HH:MM)
 Settlement period (until) duration in min until HH:MM
 Guarantee fund

Procedure 5 (Simultaneous multilateral settlement, batch mode)

Business case: [Click here to enter text.](#)

Options: Information period (duration in min from time HH:MM)
 Settlement period (until) duration in min until HH:MM
 Guarantee fund

Procedure 6 – interfaced (Dedicated liquidity on sub-account)

Business case: [Click here to enter text.](#)

Daylight business settlement window from HH:MM to HH:MM

Night time business settlement window from HH:MM to HH:MM
from HH:MM to HH:MM

Procedure 6 – real time

Business case: [Settlement of instant payments](#)

Options¹: Settlement window(s) duration from HH:MM to HH:MM
from HH:MM to HH:MM

¹ If applicable.

Operational profile for Ancillary Systems settling on the SSP



3. Types of accounts ²

3.1 What types of accounts are used?

- Technical account – (procedure 3 and 6 real-time) using BIC [Click here to enter text.](#)
- Technical account (procedures 2, 3, 4, 5 and 6)
- Guarantee (procedures 4 and 5) using BIC [Click here to enter text.](#)
- Sub-account (procedure 6)
- PM account
- No account³ (Description: [Click here to enter text.](#))

4. Payments Module (PM) participation ⁴

4.1 Does the system participate directly in the PM? Yes No *(if no, go to § 5)*

4.2 If yes, what types of payments are used?

- Financial transfers (MT202) – Business case⁵: Liquidity transfers
- Directs debits (MT204) – Business case: [Click here to enter text.](#)
- Others: Type and Business case: [Click here to enter text.](#)

5. Night-time settlement

5.1 Does the system operate night-time settlement cycles? Yes No

5.2 If yes, what types of account are involved?

- Sub-accounts (dedicated liquidity)
- Technical account – procedure 6 real-time

5.3 How many settlement cycles are taking place during night-time settlement (if relevant)?
[Click here to enter text.](#)

5.4 At what time is the settlement position communicated to the participants (if relevant)?
[Click here to enter text.](#)

5.5 At what time is the end of procedure message sent (if relevant)?
[Click here to enter text.](#)

² A mirror account is mandatory for procedure 1 and optional for procedures 3 and 6. A technical account is required for procedures 4, 5 and 6 real-time. Sub-accounts are mandatory for interfaced ancillary systems using procedure 6.

³ The settlement takes place for example on the account of a central bank.

⁴ Participation in the PM is not mandatory. The ASI may be sufficient, depending on the nature of the AS's services.

⁵ Types of transactions settled, e.g. liquidity transfers for the integrated model, settlement of independent transactions stemming from DVP and settlement of dependent balances.

Operational profile for Ancillary Systems settling on the SSP



6. AS information ⁶

6.1 Does the system use the AS information (code word /ASINF/) in field 72? Yes No

6.2 If yes, what information is conveyed?

- Information on the settlement (*batch number if more than one settlement occurs during the day*)
- Optional “debtor/creditor” information (*when different from the settlement bank*)
If selected, what kind of information is conveyed on debtor/creditor? ⁷
 - Name
 - BIC
 - Account identifier
- Other: Information taken from <RmtInf> subtag <Ustrd> of original ATransferInitiation message

7. Cross-system settlement

7.1 Do you make use of the cross-system settlement feature? Yes No

If yes, please indicate with which systems

AS name

[Click here to enter text.](#)

[Click here to enter text.](#)

[Click here to enter text.](#)

⁶ The AS participants (BIC, name, account number) which are credited or debited in the AS may be indicated in the fields "Creditor" and "Debtor" of the SSP XML message "ATransferInitiation".

⁷ Multiple choices possible.